2

AMENDMENTS TO THE CLAIMS:

(Currently amended) A method for connecting a user to a telephone number, comprising:
 receiving a phone address entered by a caller;

determining an entry modality device, from a plurality of entry modality devices, used by said caller to enter the received phone address;

decoding said received phone address according to the determined entry modality device; consulting a reference table using the decoded phone address, said reference table being periodically updated by a centralized master reference table;

resolving ambiguities between a plurality of telephone numbers corresponding to a same phone address; and

connecting the caller to <u>one of said plurality of the</u> telephone <u>numbers</u> that results from said consulting the reference table <u>and resolving ambiguities</u>.

- 2. (Previously presented) The method of claim 1, wherein the decoded phone address comprises an ambiguous phone address.
- 3. (Previously presented) The method of claim 2, wherein said consulting the reference table further includes:

consulting said table using additional information specified by an ambiguity resolving parameter, and

wherein said connecting the caller is only performed when a telephone number results from said consulting.

3

- 4. (Previously presented) The method of claim 1, wherein said reference table comprises a lookup table.
- 5. (Previously presented) The method of claim 1, wherein said reference table comprises a database.
- 6-11. (Canceled).
- (Currently amended) A system for determining telephone numbers, comprising:
 a memory including program code stored therein; and
 a processor connected to said memory for carrying out instructions in accordance with

stored program code;

wherein said program code, when executed by said processor, causes said processor to:
receive from a caller an ambiguous phone address;

determine an entry modality device, from a plurality of entry modality devices, used by said caller to enter the received phone address;

decode said received phone address according to the determined entry modality device;

select an ambiguity resolving parameter from a plurality of ambiguity resolving parameters;

collect additional information specified by said selected ambiguity resolving parameter; and

4

Serial No. 09/846,830

Docket No. YOR920000311US1

(YOR.523)

resolve ambiguities between a plurality of telephone numbers corresponding to a same phone address, using said additional information and said selected ambiguity resolving parameter; and

connecting the caller to one of said plurality of telephone numbers that results from said resolving ambiguities:

determine, using said additional information, whether said phone address resolves to a telephone number.

13-31. (Canceled).

- 32. (Previously presented) The method of claim 1, wherein said plurality of entry modality devices comprises a voice entry modality device.
- 33. (Previously presented) The method of claim 1, wherein said plurality of entry modality devices comprises a keypad entry modality device.
- 34. (Previously presented) The method of claim 1, wherein said plurality of entry modality devices comprises a telephone keypad entry modality device.
- 35. (Previously presented) The method of claim 1, wherein said plurality of entry modality devices comprises an alphanumeric keyboard entry modality device.

- 5
- 36. (Previously presented) The method of claim 1, wherein said plurality of entry modality devices comprises a handwriting entry modality device.
- 37. (Previously presented) A method for determining a telephone number, comprising: receiving an ambiguous phone address from a caller;

selecting an ambiguity resolving parameter from a plurality of ambiguity resolving parameters;

collecting additional information specified by said selected ambiguity resolving parameter; and

determining, using said additional information, whether said phone address resolves to a telephone number.

- 38. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a phone number of said caller.
- 39. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a location of said caller.
- 40. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a predetermined radius of a location of said caller.
- 41. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises at least one of a latitudinal and a longitudinal coordinate.

6

- 42. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a voiceprint of said caller.
- 43. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a voice sample of said caller.
- 44. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a predetermined phrase that is audibly input by said caller.
- 45. (Previously presented) The method of claim 37, wherein said plurality of ambiguity resolving parameters comprises a predetermined sequence of sounds.
- 46. (Previously presented) The method of claim 37, wherein said selecting an ambiguity resolving parameter comprises automatically selecting a predetermined ambiguity resolving parameter from said plurality of ambiguity resolving parameters when a predetermined phone address is received.
- 47. (Previously presented) The method of claim 37, wherein said determining comprises comparing said additional information to a data base.
- 48. (Previously presented) The method of claim 37, wherein said determining comprises comparing said additional information to a look-up table.

7

- 49. (Previously presented) The method of claim 43, wherein said determining comprises comparing said additional information to voice sample data base.
- 50. (Previously presented) The method of claim 37, wherein said additional information includes the caller's present location.
- 51. (Previously presented) The method of claim 37, wherein said additional information includes the telephone number the call is being placed from.
- 52. (Previously presented) The method of claim 37, wherein said additional information includes the identity of the caller.
- 53. (Previously presented) The method of claim 37, wherein said additional information includes the caller's response to at least one query.
- 54. (Previously presented) The method of claim 37, wherein said ambiguous phone address comprises a phone address that maps to more than one telephone number.
- 55. (Previously presented) The method of claim 37, wherein said ambiguous phone address comprises a phone address that maps to one telephone number, and

wherein said one telephone number is restricted to at least one ambiguity resolving parameter from said plurality of ambiguity resolving parameters.

8

- 56. (Previously presented) The method of claim 37, further comprising connecting said caller to the telephone number to which said phone address resolves.
- 57. (Previously presented) The method of claim 37, wherein said ambiguous phone address maps to a single telephone number.
- 58. (Previously presented) The method of claim 37, wherein, when said phone address resolves to a telephone number, the method further comprises connecting the caller to the telephone number that results from said determining.
- 59. (Previously presented) The method of claim 37, wherein, when said phone address does not resolve to a telephone number, the method further comprises notifying said caller of an error.
- 60. (Previously presented) The method of claim 59, wherein said notifying comprises any of an audio output, and a video output.
- 61. (Previously presented) A method for connecting a user to a telephone number, comprising:

determining an entry modality device, from a plurality of entry modality devices, used by a caller to enter a received phone address;

decoding said received phone address according to the determined entry modality device;

9

consulting a reference table using the decoded phone address, said reference table being periodically updated by a centralized master reference table; and

wherein, when said received phone address comprises an ambiguous phone address, said method further comprises:

selecting an ambiguity resolving parameter from a plurality of ambiguity resolving parameters;

collecting additional information specified by said selected ambiguity resolving parameter; and

determining, using said additional information, whether said phone address resolves to a telephone number.

- 62. (Previously presented) The method of claim 61, further comprising connecting the caller to the telephone number when said phone address resolves to a telephone number.
- 63. (Previously presented) The method of claim 61, further comprising connecting the caller to the telephone number that results from said consulting the reference table when said received phone address comprises a non-ambiguous phone address.
- 64. (Previously presented) A system for connecting a user to a telephone number, comprising:

a determiner that determines an entry modality device, from a plurality of entry modality devices, used by a caller to enter a received phone address;

10

a decoder that decodes said received phone address according to the determined entry modality device;

a consulter that consults a reference table using the decoded phone address, said reference table being periodically updated by a centralized master reference table; and

a connector that connects the caller to the telephone number that results from said consulting the reference table.

- 65. (Previously presented) A system for determining telephone numbers, comprising:

 a selector that selects an ambiguity resolving parameter from a plurality of ambiguity resolving parameters;
- a collector that collects additional information specified by said selected ambiguity resolving parameter; and
- a determiner that determines, using said additional information, whether an ambiguous phone address from a caller resolves to a telephone number.
- 66. (Previously presented) A system for connecting a user to a telephone number, comprising:
- a determiner that determines an entry modality device, from a plurality of entry modality devices, used by said caller to enter the received phone address;
- a decoder that decodes a received phone address from a caller according to the determined entry modality device;
- a consulter that consults a reference table using the decoded phone address, said reference table being periodically updated by a centralized master reference table;

11

a selector that selects an ambiguity resolving parameter from a plurality of ambiguity resolving parameters when said received phone address comprises an ambiguous phone address;

a collector that collects additional information specified by said selected ambiguity resolving parameter; and

a determiner that determines, using said additional information, whether said phone address resolves to a telephone number.

67. (Previously presented) The system of claim 66, integrated into one of a central office, a central controller, and a unit which interfaces between a telephone subscriber's telephone units and the subscriber's connections to a telephone network.